

02475 Rosedale Rd.

Edgerton, OH 43517

e-mail: bmturf@hotmail.com

Navis Consulting, Ltd.
Environmental Water Monitoring
XYZ Golf Course

Brian Mavis

Phone: (419) 212-1639

Fax (419) 298-3154

Date	Dissolved Oxygen (mg/L)	Conductivity (umhos/cm)	Ammonia (mg/L)	Nitrate (mg/L)	pH	Phosphorus (mg/L)	Field Temp (°F)
<i>Entering Water</i>							
6/6/2007	9.28	1400	<.3	0.2	7.44	0.0283	63.7
6/13/2006	10.2	1403	<.3	0.23	9.58	<.01	62.3
7/18/2005	8.61	1739	<.3	0.25	7.92	0.05	76.7
4/13/2005	11.25	2290	0.31	0.35	8.11	<.01	53
7/27/2004	8.7	1418	0.48	0.28	7.88	<.05	62
5/4/2004	8.6	2320	<.3	0.58	8.1	0.433	55
<i>Midpoint</i>							
6/6/2007	9.84	1384	<.3	0.6	7.71	0.0299	62.9
6/13/2006	10.18	1405	<.3	0.24	9.46	<.01	61.8
7/18/2005	8.7	1654	<.3	0.29	7.91	0.02	76.3
4/13/2005	10.19	2170	<.3	0.34	7.94	<.01	50
7/27/2004	9.1	1328	0.52	0.26	7.97	<.05	62
5/4/2004	8.8	2250	<.3	0.54	8.15	0.406	54
<i>Exiting Water</i>							
6/6/2007	9.99	1392	<.3	0.25	7.7	0.0261	62.7
6/13/2006	10.12	1370	<.3	0.27	7.77	0.03	61.5
7/18/2005	8.73	1550	<.3	0.23	7.89	0.15	76.3
4/13/2005	10.67	2090	<.3	0.35	8.06	<.01	55
7/27/2004	9	1294	0.54	0.26	7.99	<.05	61
5/4/2004	8.7	2180	0.39	0.55	8.09	0.417	54